	Type	Hits	Search Text	DBs	Time Stamp	Comments
	BRS	211	324/547.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/06/02 16:50	
01	BRS	2026	702/182-185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/06/02 16:42	
m	BRS	19539	(fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with transformer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/06/02 16:19	-
	BRS	889	\$1 or problem\$1 omal\$3) th	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:19	
10	BRS	೮	receiv\$3 with (fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:21	

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
9	BRS	1	receiv\$3 with (trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and knowledgebased	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:21	
7	BRS		\vdash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02	
<u></u>	BRS	11	or fail\$4 or malfunction\$2 1 or error\$1 or ith result\$1 ormer and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:22	
o	BRS	Ø	le\$1 or fail\$4 or 1 or malfunction\$2 blem\$1 or error\$1 or \$3) with result\$1 ransformer and dge-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	32	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and (expert or knowledge or knowledge-based or knowledge adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:37	
11	BRS	. 8	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and (expert with system\$1 or knowledge with system\$1 or knowledge-based or knowledge adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:37	
12	BRS	23	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge with system\$1 or knowledge-based or knowledge adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	23	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$6) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge-based or knowledge adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:38	
14	BRS		or fail\$4 or malfunction\$2 \$1 or error\$1 or r abnomal\$6) t\$1 same r\$1 and (expert m\$1 or knowledge m\$1 or based or adj base) and cause\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
رن	BRS	7	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3 or abnomal\$6) with result\$1 same transformer\$1 and root with cause\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:39	
9	BRS	æ	(troubles) or fails4 or faults1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3 or abnomal\$6) with result\$1 same transformer\$1 and root same cause\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:39	

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	ω	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$0) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge knowledge-based or knowledge adj base) and (evaluat\$3 or validat43 or estimat\$3 or predict\$3) with (trouble\$1 or fail\$4 or fault\$1 or anomal\$3 or abnomal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:40	*
18	BRS	20969	fault\$1 or n\$2 or problem\$1 or anomal\$3) former	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/06/02 16:19	
19	BRS	952	\$1 or problem\$1 omal\$3) th	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:19	

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	35	receiv\$3 with (fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:21	·
21	BRS	7	receiv\$3 with (trouble\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and knowledgebased	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:21	i de la companya de
22	BRS	7	receiv\$3 with (trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and expert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:21	-
23	BRS	11	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and expert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02	·

	Type	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	33	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer and knowledge-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:36	
25	BRS	37	or on\$2 r\$1 or t\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:37	
26	BRS	on .	or fail\$4 or malfunction\$2 \$1 or error\$1 or with result\$1 former and th system\$1 or with system\$1 or with system\$1 or adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:37	- : · · · · · · · · · · · · · · · · · ·

	Type	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	28	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge with system\$1 or knowledge adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:38	
28	BRS	7 8 8	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$6) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge; with system\$1 or knowledge; knowledge adj base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:38	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	m	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3 or abnomal\$6) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge with system\$1 or knowledge-based or knowledge adj base) and root with cause\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:39	
30	BRS	m	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3 or abnomal\$6) with result\$1 same transformer\$1 and root with cause\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:39	-
31	BRS	ത	or fail\$4 or malfunction\$2 11 or error\$1 or abnomal\$6) \$1 same \$1 and root	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:39	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	[-] [-]	(trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3 or abnomal\$6) with result\$1 same transformer\$1 and (expert with system\$1 or knowledge with system\$1 or knowledge adj base) and (evaluat\$3 or validat43 or estimat\$3 or predict\$3) with (trouble\$1 or fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3 or abnomal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:40	
33	BRS	3065	(702/182-185.ccls. or 324/547.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:42	

	Type	Hits	Search Text	DBs	Time Stamp Comments	Comments
34	BRS	23	(702/182-185.ccls. or 324/547.ccls.) and (fail\$4 or fault\$1 or malfunction\$2 or problem\$1 or error\$1 or anomal\$3) with result\$1 with transformer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/06/02 16:42	
35	BRS	219	324/547.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/06/02 16:50	

	D	н	Document ID	Issue Date	Page s	Title	Current OR	Current XRef	Retrieva l Classif
п	×		US 6954060 B1	20051011		a-c current transformer functional with a d- c current component present	324/117R	324/547	324/547
0	×		US 6949934 B1	20050927		Fault-annuciating system for a transformer	324/547	324/726	324/547
m			US 2005009918 7 A1	20050512	13	Method of diagnosing a fault on a transformer winding	324/547		324/547
4	×	×	US 2005009687 4 A1	20020202	18	Transformer testing	702/185		702/185
ഗ	×		US 2005009 <i>677</i> 2 A1	20050505	11	Transformer performance prediction	700/104	700/108; 702/182	702/182
9	×		US 6853939 B2	20050208		Systems and methods for multiple winding impulse frequency response analysis test	702/108	702/109; 702/112; 702/115; 702/183	702/183
7	×		US 6812713 B2	20041102		Internal fault indicator for power electrical devices	324/547		324/547

	n	н	Document ID	Issue Date	Page s	Title	Current OR	Current XRef	Retrieva l Classif
<u> </u>	×		US 6774639 B1	20040810	16	Partial discharge monitoring system for transformers	324/547	324/535; 324/536	324/547
ത	×		US 2003011714 5 A1	20030626		Internal fault indicator for power electrical devices	324/547		324/547
10	×		US 6549017 B2	20030415	35	System and method for on-line impulse frequency response analysis	324/547	324/726	324/547
11	×		US 2003002551 0 A1	20030206		Strobe charge apparatus	324/547		324/547
12	\bowtie		US 6429662 B1	20020806		Internal fault indicator for power electrical devices	324/547		324/547
13	×	×	US 6369582 B2	20020409	32	System and method for off-line impulse frequency response analysis test	324/547		324/547
14	×		US 2002001184 8 A1	20020131	34	System and method for on-line impulse frequency response analysis	324/547		324/547

	n	Н	Document ID	Issue Date	Page s	Title	Current OR	Current XRef	Retrieva l Classif
15	×		US 2001003829 0 A1	20011108	31	System and method for off-line impulse frequency response analysis test	324/547		324/547
16	×		US 5717338 A	19980210		Method and apparatus for testing television yokes and flyback transformers	324/546	324/547; 340/646	324/547
17	X		US 5396172 A	19950307	37	Transformer fault analyzer	324/547		324/547
18	×		US 5365177 A	19941115		s for ent of high y corona es in al	324/547	324/548; 324/551	324/547
19	×		US 4857856 A	19890815	9	Transformer testing	324/547	324/546; 324/726	324/547
20	×		US 4369353 A	19830118		Apparatus and method of drying a transformer	219/492	219/494; 219/519; 310/68C; 324/547; 361/42; 361/57	324/547

	D	Н	Document ID	Issue Date	Page s	Title	Current OR	Current XRef	Retrieva l Classif
21	×) 7	US 4151460 A	19790424		High resistance ground fault detector and locator 324/529 for polyphase electrical systems	324/529	324/509; 324/547	324/547
22	×	7	US 4095173 A	19780613 9	6	Method and system for corona source location by acoustic signal detection	324/535	324/547	324/547
23	×	1 7	US 3667034 A	19720530 6	,	METHOD OF TESTING AN ELECTRICAL WINDING INCLUDING THE STEP OF CONNECTING THE WINDING TO PROVIDE A TANK CIRCUIT	324/547	324/546; 324/726	324/547